

BARRIER II®

Wound Care Spray With Pain Relief

2% Available Iodine with Lidocaine



16 OZ. BOTTLE — REORDER NO: 19004
32 OZ. BOTTLE — REORDER NO: 19005

NDC 51072-041-16
NDC 51072-041-00

Aurora Pharmaceutical, LLC
NORTHFIELD, MINNESOTA 55057
888-215-1256 • www.aurorapharmaceutical.com

09/2012 IN 50-1121 REV 01

(Patent pending)

ss000011

FEATURES AND BENEFITS

BARRIER II™ Wound Care Spray With Pain Relief

- is a 2% titratable iodine that kills up to 99% of surface germs that may cause an infection.
- contains lidocaine to alleviate pain in wounds and surgical incisions.
- dries in approximately 90 seconds and forms a highly visible and durable coating.
- is labeled for all animals.
- showed reduced bleeding and faster healing in a clinical trial treatment group.¹

DIRECTIONS FOR USE

The 16 oz. bottle comes with a trigger sprayer. For refills, pour the 32 oz. bottle into the spray bottle dialed to a spray pattern. Hold sprayer about 4–6 inches from area to be treated. Spray one or more times — allow to dry. Repeat as needed. Forms a highly visible coating that is durable.

WARNINGS

Do not use in the eyes. Do not use if you are allergic to povidone-iodine. Prolonged exposure may cause irritation. If swallowed, get medical help or contact a Poison Control Center right away.

Store at 20°–25° C (68°–77° F). Excursions permitted between 15°–30° C (59°–86° F). Avoid inhalation.

CAUTION

Flammable — use with caution.
For external use only.
Keep out of reach of children.
Wet hair or fur is flammable.

FOR VETERINARY USE ONLY

1. Clinical study available upon request.



MANUFACTURED IN THE USA



BARRIER II® Wound Care Spray With Pain Relief

SWINE MARKET APPLICATION

Each year in the United States, over 100 million pigs undergo a battery of processing procedures during the first few days or weeks of their life. These include tail docking, castration, tagging and ear notching. Each of these procedures involves a degree of tissue damage resulting in the pig experiencing pain.¹ The pain pigs experience from these procedures may result in reduced performance. Shoulder sores in sows also continue to be a challenge for the pork producers. The industry needs a single product that is safe and effective in reducing pain and the risk of infection, resulting in a net benefit to the welfare of the animal. Aurora Pharmaceutical has developed a unique wound care product to address pain relief and prevent infections.

Reference

1. Taylor, AA, et al. Behavioural responses of piglets to castration: the effect of piglet age, *Applied Animal Behaviour Science* 73 (2001) 35-43.

BEEF MARKET APPLICATION

Each year in the United States, over 15 million castration procedures are performed on male calves destined for beef production.¹ Although the benefits of castration are accepted in most countries, all the methods of castration result in behavioral changes indicative of pain and distress.² Calves also experience discomfort during dehorning. The industry needs a single product that is safe and effective in reducing pain and the risk of infection, resulting in a net benefit to the welfare of the animal. Aurora Pharmaceutical has developed a unique wound care product to address pain relief and prevent infections.

References

1. U.S. Department of Agriculture, National Agricultural Statistics Service: **Agricultural Statistics**. <http://usda.mannlib.comell.edu/usda/nass/catt/2000s/2009/catt-07-24-2009.pdf>
2. Stafford KJ, Mellor DJ: **The welfare significance of the castration of cattle: a review**. *N Z Vet J* 2005, 53:271-278

INDICATIONS: For topical use on animals as an aid in preventing infection and reducing pain. Kills up to 99% of surface germs in 15 seconds or less that can potentially cause an infection.

ACTIVE INGREDIENTS
Povidone-iodine (2% available iodine)
Lidocaine 2% w/v
Ethyl Alcohol – less than 80%
Isopropyl Alcohol – less than 5%


PURPOSE
Antiseptic
Pain Relief
Antiseptic
Antiseptic

DIRECTIONS: Hold sprayer about 4–6 inches from area to be treated. Spray 1 or more times — allow to dry. Repeat as needed. Forms a highly visible coating that is durable.

WARNINGS: Do not use in the eyes. Do not use if you are allergic to povidone-iodine. Prolonged exposure may cause irritation. If swallowed, get medical help or contact a Poison Control Center right away.


Store at 20°–25° C (68°–77° F). Excursions permitted between 15°–30° C (59°–86° F). Avoid inhalation.

FLAMMABLE — USE WITH CAUTION FOR EXTERNAL USE ONLY. KEEP OUT OF REACH OF CHILDREN. WET HAIR OR FUR IS FLAMMABLE.

TAKE TIME

OBSERVE LABEL DIRECTIONS

REORDER NO: 19004
MANUFACTURED BY:
Aurora Pharmaceutical, LLC
NORTHFIELD, MN 55057
888-215-1256
www.aurorapharmaceutical.com
IN 50-1121 REV 01

NDC 51072-041-16




Wound Care Spray With Pain Relief

2% Available Iodine with Lidocaine

(Patent pending)

For Veterinary Use Only

16 fl. oz. (473 mL)



INDICACIONES: Para uso tópico en animales como ayuda en la prevención de la infección y reducir el dolor. Mata hasta el 99% de los gérmenes de superficie en 15 segundos o menos, que potencialmente puede causar una infección.


INGREDIENTES ACTIVOS
Yodopovidona (Yodo al 2%)
Lidocaina 2% w/v
Alcohol etílico – menos del 80%
Alcohol isopropílico – menos del 5%

PROPÓSITO
Antiséptico
Anestésico local
Antiséptico
Antiséptico

INSTRUCCIONES DE USO: Colocar el aerosol a 4–6 pulgadas del área a ser tratada. Rocíar una o más veces, permitiendo el secado. Repetir según se necesite. Forma una capa de cobertura altamente visible y duradera.

ADVERTENCIAS: No aplicar en los ojos. No usar si es alérgico a la yodopovidona. La exposición prolongada puede causar irritación. En caso de ingestión, conseguir auxilio médico o contactar al Centro de Control de Envenenamientos (Poison Control Center) de inmediato.

Almacenar a 20°–25° C (68°–77° F). Permiten variaciones entre 15°–30° C (59°–86° F). Evitar la inhalación.

MANUFACTURED IN THE USA 

INFLAMMABLE – ÚSESE CON CUIDADO SÓLO PARA USO EXTERNO. MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS. EL PELO MOJADO O PIEL ES INFLAMABLE.



WOUND CARE SPRAY PRODUCT COMPARISON

Feature	BARRIER II™ Wound Care Spray	Original BARRIER™ Wound Care Spray	Triodine-7	Iodine 1% Solution
Labeled for Animals				
Instant Kill < 10 sec.				
Prolonged Kill > 10 sec.				
Pain Relief				
Anti-chew/Anti-bite				
Non-staining				
Scented				
Fast Drying				
Washes Off Hands				
Visible				
Residual Activity				

Color chart key: Green=yes, red=no, yellow-maybe