ORAL-PRO



1 GALLON **REORDER NO: 21007** 8 OZ. BOTTLE - REORDER NO: 21009

INDICATIONS:

and irritation CONTRAINDICATION: Do not use products containing ORAL-PRO Biz-Kote in cats unless

A palatable oral suspension for use

thereby decreasing hyperperistalsis

directed by your veterinarian. Dogs

that may have an allergy to aspirin should not be given the formulation with ORAL-PRO Biz-Kote. Use with

caution in dogs receiving aspirin.

This product contains salicylate:

do not administer with other salicylate-containing products,

Aurora Pharmaceutical, LLC NORTHFIELD, MINNESOTA 55057 888-215-1256

www.aurorapharmaceutical.com IN 50-1168 REV 01

such as aspirin.

BIZ-KOTE

Anti-Diarrheal Liquid

FEATURES AND BENEFITS

ORAL-PRO BIZ-KOTE is a palatable oral suspension for use as an aid in controlling nonspecific diarrhea by coating intestinal mucosa, thereby decreasing hyperperistalsis and irritation. Contains Bismuth Subsalicylate 1.75% w/v; flavoring and coloring added.

CONTRAINDICATION

Do not use products containing ORAL-PRO BIZ-KOTE in cats unless directed by your veterinarian. Dogs that may have an allergy to aspirin should not be given the formulation with ORAL-PRO BIZ-KOTE. Use with caution in dogs receiving aspirin.

DOSAGE AND ADMINISTRATION

Administer orally after the first sign of diarrhea and after each loose bowel movement or as needed.

Dogs 1 to 3 tablespoonfuls

 3 to 4 fluid ounces Calves Cattle 6 to 10 fluid ounces Foals 3 to 4 fluid ounces Horses — 6 to 10 fluid ounces

Treatment should only be needed for 1-2 days. If the vomiting and/or diarrhea persists for more than 48 hours, contact your veterinarian. This product may cause stools to darken.

CAUTION

This product contains salicylate; do not administer with other salicylate-containing products, such as aspirin.

Store at controlled temperature between 20°-25° C (68°-77° F). Excursions permitted between 15°-30° C (59°-86° F). **KEEP FROM FREEZING.**

SHAKE WELL BEFORE USING. FOR ORAL USE ONLY. FOR ANIMAL USE ONLY.




Aurora Pharmaceutical, LLC NORTHFIELD, MINNESOTA 55057 888-215-1256

www.aurorapharmaceutical.com

IN 50-1168 IN 50-1169 10/2014 ss000019





DOSAGE AND ADMINISTRATION: Administer orally after the first sign of

diarrhea and after each loose bowel movement or as needed. Dogs - 1 to 3 tablespoonfuls

Calves — 3 to 4 fluid ounces
Foals — 3 to 4 fluid ounces
Cattle — 6 to 10 fluid ounces Horses — 6 to 10 fluid ounces

Treatment should only be needed for 1–2 days.
If the vomiting and/or diarrhea persists for more than 48 hours, contact

This product may cause stools to darken

COMPOSITION:

Bismuth Subsalicylate 1.75% w In a palatable aqueous suspension. 1 75% w/v Flavoring and coloring added

FOR ORAL USE ONLY. KEEP FROM FREEZING.

Store at controlled temperature between 20°–25° C (68°–77° F). Excursions permitted between 15°-30° C (59°-86° F)

MANUFACTURED IN THE USA

