



BALANCE

Stress & Dehydration Aid Nutritional/Metabolic Supplement

INDICATIONS

BALANCE Stress & Dehydration Aid is a nutritional/metabolic supplement formulated to balance systemic electrolytes needed to maintain hydration. It acts as a buffering agent to correct blood pH when stress challenges occur due to environmental heat or handling. BALANCE Stress & Dehydration Aid is formulated using electrolytes and buffering agents and does not use sugar as filler.

Use BALANCE Stress & Dehydration Aid prior to a stressful heat or handling. The balancing and buffering effect will give your horse:

- Increased water consumption
- Reduced body temperature in a high heat environment
- Reduced panting of the heat-stressed animals, thus reducing the pH of their blood and maintaining a healthy and more responsive metabolic system.
- A quicker rebound after stress from excessive heat, handling or performing



AVAILABILITY
850 gm. - Reorder No: 21024



MIXING INSTRUCTIONS

850 GRAM CANISTER WITH SCOOP

INDICATIONS: BALANCE Stress & Dehydration Aid helps animals which are experiencing metabolic imbalances and dehydration due to stress events.

BALANCE Stress & Dehydration Aid is a nutritional/metabolic supplement that can be administered through drinking water. BALANCE Stress & Dehydration Aid was specifically engineered for use in animals that are anticipating to be or are experiencing dehydration and metabolic stress from events including extended transport, high heat index periods, environmental extremes, disease stress, market transport, and other periods where feed and water intake may be reduced.

INGREDIENTS:

| | |
|------------------------------|-----------------------------|
| Sodium Min. 27% | Zinc Min. 300 ppm |
| Potassium Min. 10% | Plant Protein . . . Max. 1% |

STORAGE: Store at a room temperature below 30° C (86° F).

BALANCE Stress & Dehydration Aid is not harmed by freezing. Close container between uses to prevent clumping.

DIRECTIONS FOR USE: Begin treating animals with BALANCE Stress and Dehydration Aid on or one day prior to and during the entire stress period. Administer BALANCE Stress and Dehydration Aid at 1 level tablespoon (17 grams) per 5 gallons of drinking water as fed.

